

PLATFORM | SURFACES




Pietra Di Gre







Pietra Di Gre




Grigio
 48"x48" 10mm
 24"x48" 10mm
 24"x24" 10mm
 12"x24" 10mm
 6"x24" 10mm




Bianco
 48"x48" 10mm
 24"x48" 10mm
 24"x24" 10mm
 12"x24" 10mm
 6"x24" 10mm




Antracite
 48"x48" 10mm
 24"x48" 10mm
 24"x24" 10mm
 12"x24" 10mm
 6"x24" 10mm




Grigio Mosaico
 12"x12" 10mm




Bianco Mosaico
 12"x12" 10mm




Antracite Mosaico
 12"x12" 10mm



Grigio Plank
 12"x24" 10mm
















Bianco Plank
 12"x24" 10mm



Antracite Plank
 12"x24" 10mm

Pietra Di Gre

Technical Features

	ISO 10545-3	Water Absorption	< 0.5%		Thickness	10mm
	ISO 10545-4	Breaking Strength	35 N/mm ²		NATURAL DIN51097 DIN51130	Dynamic Coefficient of Friction A R9
	ISO 10545-13	Resistance to Acid	GLA		ANSI A 137.1 DCOF BOT 3000 E	>0.42
	ISO 10545-12	Frost Resistance	Frost Proof		STRUTT. DIN51097 DIN51130	Dynamic Coefficient of Friction A+B+C R12
	ISO 10545-14	Stain Resistance	4		ANSI A 137.1 DCOF BOT 3000 E	>0.42
	ISO 10545-2	Surface Flatness	± 0.5%		Color Shade Variations	V2
					Orthogonality	± 0.6%

Size	Thickness	Material	Finish	Shade	Pieces/Box	Boxes/Pallet	Coverage Box
48"x48"	10mm	Porcelain	Matte	V2	1	36	15.50 sqft/box
24"x48"	10mm	Porcelain	Matte	V2	2	36	15.50 sqft/box
24"x24"	10mm	Porcelain	Matte	V2	3	40	11.63 sqft/box
12"x24"	10mm	Porcelain	Matte	V2	6	43	11.63 sqft/box
6"x24"	10mm	Porcelain	Matte	V2	11	48	10.66 sqft/box
Mosaico	N/A	Porcelain	Matte	V2	11	36	10.66 sqft/box
Plank	N/A	Porcelain	Matte	V2	5	N/A	N/A
3"x24" BN	N/A	Porcelain	Matte	V2	12	N/A	N/A

*Interior Walls & Floors



PLATFORM | SURFACES

330 County Line Road
 Bensenville, IL 60106
 info@platformsurfaces.com
 630.526.3399 | platformsurfaces.com