

  
**COASTAL**  

---

**RETREAT**  

---

COLLECTION

# COVE



**atlas concorde**  
USA



## COVE

Cove Linen 23<sup>5/8</sup>" x 47<sup>1/4</sup>" - 60x120 cm  
Cove Pebble Dart Mosaic 11<sup>3/4</sup>"x11<sup>3/4</sup>" - 30x30 cm  
Cove Linen Bullnose 3"x24" - 7.2x60 cm



## CONTEMPORARY ATTITUDE

Urban character and handcrafted beauty: this is the essence of our Cove Collection **INSPIRED BY CHALK MANUALLY SPREAD BY ARTISANS.**

The warm and soft look of the chalk, combined with the small imperfections of handcrafted surfaces, create spaces of **GREAT MATERIAL EXPRESSIVENESS AND CONTEMPORARY ELEGANCE.**

Thin scratches and delicate reliefs create matching graphic and surface structure. Shadows give this product a **CHARACTERIZED AND DEEP LOOK.**

Enriched by graphic and texture micro-details, these tiles are suitable to be used on every kind of application, residential and commercial.

- **CHALK LOOK**
- **CHARACTER AND HANDCRAFTED BEAUTY**
- **SCRATCHES AND RELIEFS ON THE SURFACE**
- **NEUTRAL TONES IN THE FIVE MOST POPULAR SHADES**

## COLORS



Breeze



Linen



Pebble



Coast



Storm



COLORED BODY PORCELAIN TILE



Breeze



Coast



Linen



Storm



Pebble





COLORED BODY PORCELAIN TILE



## COVE

- Cove Storm Hexagon 9<sup>7/8</sup>"x8<sup>1/2</sup>" - 25x21.6 cm
- Cove Pebble Hexagon 9<sup>7/8</sup>"x8<sup>1/2</sup>" - 25x21.6 cm
- Cove Linen Hexagon 9<sup>7/8</sup>"x8<sup>1/2</sup>" - 25x21.6 cm
- Cove Pebble Apex Mosaic 11"x11" - 28x28 cm



# COVE

COLORED BODY PORCELAIN TILE

## COVE

Cove Pebble Dart Mosaic 11<sup>3</sup>/<sub>4</sub>"x11<sup>3</sup>/<sub>4</sub>" - 30x30 cm



V2 SLIGHT VARIATION

Compliant with standards ANSI A137.1-2012



## COVE

Cove Storm Hexagon 9<sup>7</sup>/<sub>8</sub>"x8<sup>1</sup>/<sub>2</sub>" - 25x21.6 cm  
Cove Pebble Hexagon 9<sup>7</sup>/<sub>8</sub>"x8<sup>1</sup>/<sub>2</sub>" - 25x21.6 cm  
Cove Linen Hexagon 9<sup>7</sup>/<sub>8</sub>"x8<sup>1</sup>/<sub>2</sub>" - 25x21.6 cm  
Cove Pebble Apex Mosaic 11"x11" - 28x28 cm





# COVE

COLORED BODY PORCELAIN TILE

V2 SLIGHT VARIATION

Compliant with standards ANSI A137.1-2012



## COVE

Cove Pebble 11<sup>3</sup>/<sub>4</sub>"x23<sup>5</sup>/<sub>8</sub>" - 30x60 cm  
Cove Deco Cold 7<sup>7</sup>/<sub>8</sub>" x 7<sup>7</sup>/<sub>8</sub>" - 20x20 cm  
Cove Pebble Cove Base 6"x12" - 15x30 cm

## BEACON

Beacon Salt 7<sup>6</sup>/<sub>8</sub>"x39<sup>3</sup>/<sub>8</sub>" - 20x100 cm





COLORED BODY PORCELAIN TILE



COVE

Cove Coast 23<sup>5/8</sup>" x 47<sup>1/4</sup>" - 60x120 cm



# COVE

COLORED BODY PORCELAIN TILE

 V2 SLIGHT VARIATION

Compliant with standards ANSI A137.1-2012



## COVE

Cove Breeze  $11\frac{3}{4}'' \times 23\frac{5}{8}''$  - 30x60 cm  
Cove Breeze Bullnose  $3'' \times 24''$  - 7.2x60 cm

## BEACON

Beacon Wharf  $7\frac{5}{8}'' \times 39\frac{3}{8}''$  - 20x100 cm





SIZE - THICKNESS

11 3/4" x 23 5/8" - 30x60 cm  
 23 5/8" x 47 1/4" - 60x120 cm  
 9 7/8" x 8 1/2" - 25x21.6 cm  
 7 7/8" x 7 7/8" - 20x20 cm

9 mm

FINISH

MATTE



**COVE Breeze**  
 11 3/4" x 23 5/8" - 30x60 cm  
 610010002254



**COVE Linen**  
 11 3/4" x 23 5/8" - 30x60 cm  
 610010002255



**COVE Pebble**  
 11 3/4" x 23 5/8" - 30x60 cm  
 610010002256



**COVE Coast**  
 11 3/4" x 23 5/8" - 30x60 cm  
 610010002257



**COVE Storm**  
 11 3/4" x 23 5/8" - 30x60 cm  
 610010002258



**COVE Breeze**  
 23 5/8" x 47 1/4" - 60x120 cm  
 610010002353



**COVE Linen**  
 23 5/8" x 47 1/4" - 60x120 cm  
 610010002354



**COVE Pebble**  
 23 5/8" x 47 1/4" - 60x120 cm  
 610010002355



**COVE Coast**  
 23 5/8" x 47 1/4" - 60x120 cm  
 610010002356



**COVE Storm**  
 23 5/8" x 47 1/4" - 60x120 cm  
 610010002357



**COVE Breeze Hexagon**  
 9 7/8" x 8 1/2" - 25x21.6 cm  
 610010002358



**COVE Linen Hexagon**  
 9 7/8" x 8 1/2" - 25x21.6 cm  
 610010002359



**COVE Pebble Hexagon**  
 9 7/8" x 8 1/2" - 25x21.6 cm  
 610010002360



**COVE Coast Hexagon**  
 9 7/8" x 8 1/2" - 25x21.6 cm  
 610010002361



**COVE Storm Hexagon**  
 9 7/8" x 8 1/2" - 25x21.6 cm  
 610010002362



**COVE Artisan Cold**  
 7 7/8" x 7 7/8" - 20x20 cm  
 610010002390



**COVE Artisan Warm**  
 7 7/8" x 7 7/8" - 20x20 cm  
 610010002391



**COVE Deco Cold**  
 7 7/8" x 7 7/8" - 20x20 cm  
 610010002392



**COVE Deco Warm**  
 7 7/8" x 7 7/8" - 20x20 cm  
 610010002393

MOSAICS & DECORS



**COVE Breeze Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 2" x 2")  
 600110000621




**COVE Linen Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 2" x 2")  
 600110000622



**COVE Pebble Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 2" x 2")  
 600110000623



**COVE Coast Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 2" x 2")  
 600110000624



**COVE Storm Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 2" x 2")  
 600110000625

MOOD



**COVE Breeze Apex Mosaic**  
 11" x 11" - 28x28 cm  
 (Mosaic 1.8" x 5.5")  
 600110000640



**COVE Linen Apex Mosaic**  
 11" x 11" - 28x28 cm  
 (Mosaic 1.8" x 5.5")  
 600110000641



**COVE Pebble Apex Mosaic**  
 11" x 11" - 28x28 cm  
 (Mosaic 1.8" x 5.5")  
 600110000642



**COVE Coast Apex Mosaic**  
 11" x 11" - 28x28 cm  
 (Mosaic 1.8" x 5.5")  
 600110000643



**COVE Storm Apex Mosaic**  
 11" x 11" - 28x28 cm  
 (Mosaic 1.8" x 5.5")  
 600110000644



**COVE Breeze Dart Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 1.3" x 4.2")  
 600110000645



**COVE Linen Dart Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 1.3" x 4.2")  
 600110000646



**COVE Pebble Dart Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 1.3" x 4.2")  
 600110000647




**COVE Coast Dart Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 1.3" x 4.2")  
 600110000648




**COVE Storm Dart Mosaic**  
 11 3/4" x 11 3/4" - 30x30 cm  
 (Mosaic 1.3" x 4.2")  
 600110000649

COORDINATING TRIMS

		Bullnose	Cove base
	COVE Breeze	610130004033	610130004038
	COVE Linen	610130004034	610130004039
	COVE Pebble	610130004035	610130004040
	COVE Coast	610130004036	610130004041
	COVE Storm	610130004037	610130004042



**Bullnose**  
 3" x 24" - 7.2x60 cm



**Cove base**  
 6" x 12" - 15x30 cm - 8.5mm



COLORED BODY PORCELAIN TILE



Compliant with standards ANSI A137.1-2012

SIZE - THICKNESS

11<sup>3/4</sup>"x23<sup>5/8</sup>" - 30x60 cm  
 23<sup>5/8</sup>"x47<sup>1/4</sup>" - 60x120 cm  
 9<sup>7/8</sup>"x8<sup>1/2</sup>" - 25x21.6 cm  
 7<sup>7/8</sup>"x7<sup>7/8</sup>" - 20x20 cm

FINISH

MATTE



V2

SLIGHT VARIATION

While the colors and/or texture present on a single piece of tile will be indicative of the colors and/or texture to be expected on the other tiles, the amount of colors and/or texture on each piece may vary significantly. It is recommended that the range be viewed before selection.

FIELD TILES - Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish	Rectified edge
12"x24"	11 3/4" x 23 5/8"	9 mm	Matte	-
24"x48"	23 5/8" x 47 1/4"	9 mm	Matte	Yes
10"x8.5"	9 7/8" x 8 1/2"	9 mm	Matte	-
8"x8"	7 7/8" x 7 7/8"	9 mm	Matte	-

MOSAICS AND COORDINATING TRIMS - Available in all colors

Commercial size (in)	Nominal size (in)	Thickness (mm)	Finish
Mosaic 2"x2"	11 3/4" x 11 3/4"	9 mm	Matte
Dart Mosaic 1.3"x4.2"	11 3/4" x 11 3/4"	9 mm	Matte
Apex Mosaic 1.8"x5.5"	11"x11"	9 mm	Matte
Bullnose 3"x24"	2 7/8" x 23 5/8"	9 mm	Matte
Cove Base 6"x12"	5 7/8" x 11 3/4"	8.5 mm (*)	Matte

Please refer to caliber chart for work sizes. Close joints are not recommended. (\*): Cove Base thickness is 7 mm on flat top part.

PERFORMANCE & FEATURES

COVE

PROPERTY	ASTM TEST METHOD	Porcelain Tile Specification				COVE	
		Calibrated		Rectified			
		Minimum	Maximum	Minimum	Maximum		
REGULARITY CHARACTERISTICS	 Nominal Size Caliber Range (Variation from average facial dimension of sample) Thickness <sup>(1)</sup>	ASTM C499	-3.00%	3.00%	-3.00%	2.00%	Compliant
			-0.50% or -0.08 in (-2.0 mm) <sup>(*)</sup>	0.50% or 0.08 in (2.0 mm) <sup>(*)</sup>	-0.25% or -0.03 in (-0.8 mm) <sup>(*)</sup>	0.25% or 0.03 in (0.8 mm) <sup>(*)</sup>	Compliant
			N/A	Range: 0.40 in (1.02 mm)	N/A	Range: 0.40 in (1.02 mm)	Compliant
	Wedgeing	ASTM C502	-0.50% or -0.08 in (-2.0 mm) <sup>(*)</sup>	0.50% or 0.08 in (2.0 mm) <sup>(*)</sup>	-0.25% or -0.03 in (-0.8 mm) <sup>(*)</sup>	0.25% or 0.03 in (0.8 mm) <sup>(*)</sup>	Compliant
	 Warpage Edge Warpage Diagonal	ASTM C485	-0.75% or -0.09 in (-2.3 mm) <sup>(*)</sup>	0.75% or 0.09 in (2.3 mm) <sup>(*)</sup>	-0.40% or -0.05 in (-1.3 mm) <sup>(2)</sup> or -1.8 mm <sup>(3)</sup> <sup>(*)</sup>	0.40% or 0.05 in (1.3 mm) <sup>(2)</sup> or 1.8 mm <sup>(3)</sup> <sup>(*)</sup>	Compliant
			-0.50% or -0.08 in (-2.0 mm) <sup>(*)</sup>	0.50% or 0.08 in (2.0 mm) <sup>(*)</sup>	-0.40% or -0.07 in (-1.8 mm) <sup>(*)</sup>	0.40% or 0.07 in (1.8 mm) <sup>(*)</sup>	Compliant
All Porcelain Tiles							
STRUCTURAL CHARACTERISTICS	 Water Absorption	ASTM C373	≤ 0.5%				≤ 0.5%
BULK MECHANICAL CHARACTERISTICS	 Breaking Strength	ASTM C648	Average ≥ 250 lbf. (1.11 kN) Individual ≥ 225 lbf. (1.00 kN)				≥ 350 lbf. avg
PHYSICAL PROPERTIES	 Bond Strength	ASTM C482	≥ 50 psi (0.34 Mpa)				≥ 100 psi
THERMAL AND IGROMETRIC CHARACTERISTICS	 Resistance to Freeze/Thaw Cycling	ASTM C1026	As Reported				Resistant
CHEMICAL CHARACTERISTICS	 Chemical Resistance	ASTM C650	As Reported				Unaffected
	 Stain Resistance	ASTM C1378	As Reported				Unaffected
SAFETY CHARACTERISTICS	 Dynamic coefficient of friction	DCOF	Requires a minimum value of 0.42 for commercial areas that are likely to be wet				> 0.42 Wet

(\*) Whichever is less  
 (1) May not apply to textured surfaces or tiles with uneven back patterns.  
 (2) Whichever is less, for tiles up to 24"x24" (610 mm x 610 mm).  
 (3) Applies to tiles larger than 24"x24" (610 mm x 610 mm).

The Health Product Declaration® logo is a registered trademark of HPD Collaborative.



Atlas Concorde reserves the right to modify any product without notice and will not be liable for any direct or indirect damage resulting from such modifications. Colors and optical features of the materials illustrated in this catalogue are to be regarded as mere indications. For information and details relating to codes, packaging and weight it is recommended to refer to the latest pricelist.

© Copyright Atlas Concorde USA, Inc. 2019  
 The reproduction of the work, fully or in part, is strictly forbidden.