

PLATFORM | SURFACES

# URBAN LIMESTONE

Limestone Look Tiles



Platform Surfaces  
330 County Line Rd.  
Bensenville, IL 60106  
630.526.3399 | [platformsurfaces.com](https://platformsurfaces.com)



Metro Gray



Artistic Beige/Metro Gray




Metro Gray Veneers




Cosmopolitan Ash

# Urban Limestone


---



**White Avenue - Rect.**  
24"x48" 9mm Matte  
12"x24" 9mm Matte/Grip



**Precious Ivory - Rect.**  
24"x48" 9mm Matte  
12"x24" 9mm Matte/Grip



**Artistic Beige - Rect.**  
12"x24" 9mm Matte



**Metro Gray - Rect.**  
24"x48" 9mm Matte  
12"x24" 9mm Matte



**Cosmopolitan Ash - Rect.**  
24"x48" 9mm Matte  
12"x24" 9mm Matte/Grip




**Fashion Black - Rect.**  
12"x24" 9mm Matte


# Urban Limestone

---

## Hex Multicolor



**Warm**  
12"x10" Matte




**Cold**  
12"x10" Matte

## Geometric Multicolor



**Warm**  
12"x10" Matte



**Cold**  
12"x10" Matte

# Urban Limestone

---

## Technical Data

Physical Properties	North American Standard	Porcelain	Grip	Pavers
Water Absorption	≤ 0.5%	Complies	Complies	Complies
DCOF	≥ 0.42	≥ 0.42	≥ 0.6	N/A
Resistance to Freeze/Thaw	As reported	Resistant	Resistant	Resistant
Resistance to Thermal Shock	As reported	Resistant	Resistant	Resistant
Warpage (Edge)	± 0.4% or ± 0.05 in	Complies	Complies	Complies
Warpage (Diagonal)	± 0.4% or ± 0.07 in	Complies	Complies	Complies
Wedging	± 0.25% or ± 0.03 in	Complies	Complies	Complies
Chemical Resistance	As reported	Resistant	Resistant	Resistant
Stain Resistance	As reported	Resistant	Resistant	Resistant
Breaking Strength	< 250lbf	Complies	Complies	Complies

# PLATFORM|SURFACES

Platform Surfaces - 330 County Line Rd. Bensenville, IL 60106 - 630.526.3399 - [platformsurfaces.com](http://platformsurfaces.com)