
COTTO CLASSICO

Handmade Wall Tile




Platform Surfaces
330 County Line Rd.
Bensenville, IL 60106
630.526.3399 | platformsurfaces.com









Cotto Classico



Al Hamra 4"x4" 9.5mm Glossy



Atlas White 4"x4" 9.5mm Glossy



Sahara Rose 4"x4" 9.5mm Glossy



Gris Perle 4"x4" 9.5mm Glossy



Mint Tea 4"x4" 9.5mm Glossy



Glossy





Atlas White 2"x6" 15mm Glossy



Sahara Rose 2"x6" 15mm Glossy



Gris Perle 2"x6" 15mm Glossy



Al Hamra

Glossy

2"x6" 15mm

Mint Tea 2"x6" 15mm Glossy



Blue City 2"x6" 15mm Glossy

Cotto Classico



Al Hamra Papillon 10.5"x10" 9.5mm Glossy



Atlas White Sahara Rose Tapis 12"x12" 9.5mm Glossy



Atlas White/Blanc Gris Perle Chouari 13.25"x14.25" 9.5mm Glossy



Atlas White Starburst 10"x10" 9.5mm Glossy



Atlas White Art 11.25"x11.25" 9.5mm Glossy



Atlas White Triangle 9"x11.75" 9.5mm Glossy

Cotto Classico

Packaging

Size	Sqft/Box	Pieces/Box
2"x6"	8.07	100
4"x4"	10.76	100
Papillon	11.67	16
Tapis	11	11
Chouari	13.11	10
Starburst	12.50	18
Art	9.67	11
Triangles	10.28	14

Tech Data

Chemical Resistance Resistant

Special Considerations for Cotto Classico:

- Variation in caliber, flatness, straightness, texture, design and shade are present and inherent to the manufacture process of real zellige products.
- Chips, pinholes and other imperfections are common in zellige tiles and are not defective. Material with these characteristics are not subject for exchange or return.
- It is highly recommended to mix pieces from multiple cartons prior to installation in order to achieve a natural shade variation throughout the installation.
- Zellige tiles look beautiful installed with or without grout, and with a variety of grout joint thicknesses. When installing in a wet area, grouting and sealing will be necessary.
- Industry standard recommends overage by 15% in order to account for shortage due to tile cuts, breakage and future repairs.

