

PLATFORM | SURFACES

PORCELAIN TILE

# Calligra

The Calligra collection evokes the delicate movement of woven fabric, where texture and light intertwine to create subtle depth and dimension. Ranging from serene neutrals to expressive hues, its refined palette captures emotion through color, transforming every surface into a canvas of quiet sophistication. Crafted in a 32"x32" format, Calligra reveals new layers of beauty as light shifts across its softly lustrous surface.





**Pure | Matte**  
32" x 32" (9 mm Thick)



**Grace | Matte**  
32" x 32" (9 mm Thick)



**Bold | Matte**  
32" x 32" (9 mm Thick)



**Wavy | Matte**  
32" x 32" (9 mm Thick)



**Cozy | Matte**  
32" x 32" (9 mm Thick)



**Earthy | Matte**  
32" x 32" (9 mm Thick)



**Blush | Matte**  
32" x 32" (9 mm Thick)



**Quiet | Matte**  
32" x 32" (9 mm Thick)



Pure | Matte



Bold | Matte



**Bold** | Matte, **Grace** | Matte, **Wavy** | Matte



**Bold** | Matte



Grace | Matte



Grace | Matte



**Wavy | Matte**



**Wavy | Matte**



Cozy | Matte



Cozy | Matte



**Earthy | Matte**



**Cozy | Matte, Earthy | Matte**



**Earthy** | Matte, **Quiet** | Matte



**Quiet** | Matte

## TECHNICAL DATA

# Calligra

<b>Material</b>	Porcelain
<b>Finish</b>	Matte
<b>Size</b>	32" x 32"
<b>Thickness</b>	9 mm
<b>Shade Variation</b>	V3
<b>Water Absorption</b>	≤ 0.2%
<b>DCOF</b>	≥ 0.50
<b>Thermal Shock Resistance</b>	Resistant
<b>Frost Resistance</b>	Resistant
<b>Chemical Resistance</b>	Resistant
<b>Stain Resistance</b>	Class 5
<b>Recommended Grout Joint</b>	1/8"
<b>Application</b>	Interior/Exterior Floors & Walls





PLATFORM|SURFACES

Platform Surfaces  
330 County Line Rd.  
Bensenville, IL 60106

info@platformsurfaces.com  
630.526.3399

[platformsurfaces.com](https://platformsurfaces.com)