


PLATFORM|SURFACES

PORCELAIN TILE


Cuadrado

The Cuadrado collection blends architectural geometry with design and fashion influences to create a bold, modular tile concept. Inspired by 20th-century modernism, each square-format tile features an outer frame and interchangeable interior, offering endless creative combinations. With a balance of precision and play, Cuadrado invites designers to explore form, contrast, and customization.





Out Taupe | Glossy
8 3/16" x 8 3/16" (9.5 mm Thick)



Out Taupe | Glossy
8 3/16" x 8 3/16" (9.5 mm Thick)



Out Taupe | Glossy
8 3/16" x 8 3/16" (9.5 mm Thick)



In Clay | Glossy
4 3/16" x 4 3/16" (13 mm Thick)



In Clay | Glossy
4 3/16" x 4 3/16" (13 mm Thick)




In Clay | Glossy
4 3/16" x 4 3/16" (13 mm Thick)



Pencil Trim Taupe | Glossy
3/8" x 8 13/16" (5 mm Thick)



Pencil Trim Taupe | Glossy
3/8" x 8 13/16" (5 mm Thick)



Pencil Trim Taupe | Glossy
3/8" x 8 13/16" (5 mm Thick)



Out Taupe, Glossy | **In** Clay, Glossy

Cuadrado



Out Taupe, Glossy | **In** Clay, Glossy



Out Taupe, Glossy | **In** Green, Glossy

Cuadrado



Out Blue, Glossy | **In** Sky, Glossy

PLATFORM | SURFACES



Out Black, Glossy | **In** Green, Glossy

Cuadrado




Out Black, Glossy | **In** Green, Glossy


TECHNICAL DATA

Cuadrado


Material	Porcelain
Finish	Glossy
Color Variation	V2
Water Absorption	0.5% < E < 3%
Crazing Resistance	Pass
Frost Resistance	Pass
Thermal Shock Resistance	Pass
Breaking Strength	> 1100 N
Modulus of Rupture	> 30 N/mm ²
Stain Resistance	5/-/5/5
Recommended Grout Joint	1/8"
Application	Interior Walls, Shower Walls (w/ Sealant)



Out
8 3/16" x 8 3/16"
Thickness: 9.5 mm



In
4 3/16" x 4 3/16"
Thickness: 13 mm



Pencil Trim
3/8" x 8 13/16"
Thickness: 5 mm



Platform Surfaces
330 County Line Rd.
Bensenville, IL 60106

info@platformsurfaces.com
630.526.3399

platformsurfaces.com